



ANCORATM

Ceramica

WE BUILD TOMORROW



ANTRESIT BEIGE

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ANTRESIT GREY

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ANTRESIT BIANCO

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ARMANI BEIGE

RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ARMANI GREY

RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

BLACK BEAUTY

RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

BIANCO STATUARIO VENATO

RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

BRESSIA ONICIATA

RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

BLACK PEARL

RANDOM

11



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



BOTTOCHINO CLASSICO BEIGE

RANDOM

10



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



DYNA CLASSIC



RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT


MARBLE

DOLCEY BEIGE



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

DYNA NATURAL

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

FRENCH BONE

RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

FRENCH SILVER



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

FRENCH PORCELAIN



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ICE ONYX



RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT




MARBLE

LOURENT GOLD



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE


MARBLE STATUARIO



RANDOM



6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

MARBLE CARARA



RANDOM



6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

MARFIL BEIGE

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

MONACO BIANCO

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

NOVELLE ICE



RANDOM



2



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

NOVELLE CREMA



RANDOM



2



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT


MARBLE

ORIENT BEIGE



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT




MARBLE

ORIENT BROWN



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

PETRA NOVA BIANCO

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

OROBICO GREY

RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

SILVER ROOT

RANDOM

2



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

SKY ONYX

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

PIETRA GREY LUCIDATO

RANDOM

8



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT


MARBLE



ROSE BLACK

RANDOM

8



THICKNESS

9 MM

SIZE





1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE




STATUARIO ITALIA



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT


MARBLE

STATUARIO ICE



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT


MARBLE

STATUARIO LUCIDATO



RANDOM

3



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT



MARBLE

STATUARIO SUPER



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

STATUARIO PEARL



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT



MARBLE

WHITE ONYX



RANDOM

4



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



BOOK MATCH



GLOSSY



THICKNESS

9 MM

SIZE

1200X1200MM



FINISH

GLOSSY

EFFECT

MARBLE





THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



FINISH



MATT

OXIDO BROWN



RANDOM

10



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT


EFFECT

MARBLE

CEMENT

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT


EFFECT

MARBLE

FOSSIL GREY

RANDOM

6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE

GREGOR BEIGE



RANDOM



2



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE




FROST GREY



RANDOM



5



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE







OXIDE EARTH



RANDOM



6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE







URBAN GREY



RANDOM



6



THICKNESS

9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	--	--------	-------------

REGULATORY PROPERTIES

Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES


Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES



Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAIL



SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
1200x1200 MM	9 MM	2	31	61



✓ RIGHT



✗ WRONG



STORAGE


We should use a forklift truck, at least 2,5 mts. long, with the forks positioned in the largest width position, in order to handle the pallet on a proper way. Under normal conditions, the forks are positioned in the middle of the long side of the pallet, as they must hold the whole depth of the pallet. To allow the extraction of the slabs in a safe and easy way, it is recommended to position the pallets in a suitable area where the lift truck can be moved around all sides of the pallet.

HANDLING SLAB

IBIS's Extra large format slabs arrive in oversized crates, which require specific handling equipment. To prevent damage from occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/ 44" long forks are recommended.

To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.

Specialised tools and equipment are currently available for the handling and installation of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.



HANDLING EQUIPMENT

Handling device to free move 150X150 Slabs (use 2 for 305cm Slab)



Double Suction Cup 115 MM




Modular Bench BM 180




LEVELLING EQUIPMENT

RLS Clips for Tiles 10-12 MM thick (½" - ¾") - 400 pcs bag



Wedges in 1000 pcs / carton



Adjustable pliers for wall and floor covering



CUTTING EQUIPMENT

Free cut guide with complete outfit Max. cut of length-156 CM



Free cut extension length - 170 CM



Cutting of pillars for tiles/slabs Thickness 6-12 MM




MECHANICAL FIXING EQUIPMENT

Fix Stainless Steel Hook for 8 MM thickness tiles - 500 pcs



Cut Grooving Machine 850w-230v 50/60hz





Corporate office

Office No. 17, Third Floor Ishan Ceramic Zone-B,
8-A National Highway, Morbi-363 642, Gujarat (INDIA).

Call Us. +91 75728 00111, +91 75728 00222

+91 75728 00333, +91 75728 00999

E-mail : sales@ancoracreations.com